


SECTION A-A

NOTE: IF A CONCRETE DRIVE APPROACH IS BUILT, A 3'-5' SPACE SHALL BE LEFT BETWEEN THE EXISTING EDGE OF PAVEMENT AND THE EDGE OF THE CONCRETE. THIS SPACE SHALL BE FILLED IN WITH ASPHALT.

<p>CHRIS E. BAUSERMAN, P.E., P.S. Delaware County Engineer</p>  <p>Delaware County Engineer</p>	<p>STANDARD CONSTRUCTION DRAWING</p> <p>RESIDENTIAL DRIVE APPROACH OPEN DITCH</p>	<p>DELAWARE COUNTY ENGINEER'S OFFICE 50 Channing Street Delaware, Ohio 43015 PHONE: (740)833-2400 FAX: (740)833-2399 www.co.delaware.oh.us</p>										
<p>APPROVED 1-04-2010</p>	<p>REVISED</p>	<table border="1"> <tr> <td>Drawn</td> <td>KS</td> <td>sheet</td> <td>1</td> <td>FILE NO.</td> </tr> <tr> <td>Checked</td> <td>EM</td> <td>of</td> <td>1</td> <td>DCED-R2202</td> </tr> </table>	Drawn	KS	sheet	1	FILE NO.	Checked	EM	of	1	DCED-R2202
Drawn	KS	sheet	1	FILE NO.								
Checked	EM	of	1	DCED-R2202								